# zencontrol



# Software



# Sign in or create an account


Enter your email or custom username, press sign up of you are a new user.

| Username |             |                       |
|----------|-------------|-----------------------|
| Password |             |                       |
|          | Sign up     | Login                 |
|          | Remember me | Forgot your password? |




| 1. Account details | 2. User details | 3. Address | 4. Contact details | 5. Privacy | 6. Verification |
|--------------------|-----------------|------------|--------------------|------------|-----------------|
|                    |                 |            |                    |            |                 |
| Username           |                 |            | Email              |            |                 |
| Enter username     |                 |            | Max 25 characters  |            |                 |
|                    |                 |            |                    |            |                 |
| Password           |                 |            | Retype email       |            |                 |
| Enter password     |                 |            |                    |            |                 |
| Retype password    |                 |            |                    |            |                 |
|                    |                 |            |                    |            |                 |
|                    |                 |            |                    |            |                 |
|                    |                 |            |                    |            | Next 🕽          |

















| . Account details   | 2. User details  | 3. Address | 5. Contact details                         | 5. Privacy                     | 6. Verification         |
|---|--|------------|--|--------------------------------|-------------------------|
|   | for all authenticated users<br>Private hides the informati |            | on. Building only, allows use<br>ed users. | rs to view your informati      | ion if they have access |
| 5   | ,  | ,          |  |                                |                         |
| Address availability  |  |            | Contactable office ho                      | ours                           |                         |
| Whether users can view y                                    | your address details.                                      |            | Whether users can contact,                 | call you within office hours / | ī.                      |
| Public  |  | 4          | Public                                     |                                | 4                       |
| Contactable after h Whether users can contact Building only |  | 4          | Fees Whether users can view you            | ur fees call out cost and cost | t per hour.             |
| <b>Email</b><br>Whether users can view y                    | rour email.  |            |  |                                |                         |
| Building only   |  |            |  |                                |                         |
| < Back  |  |            |  |                                | Next >                  |










#### Success!

Please check you inbox for verification email.

Complete signup >












**The zencontrol cloud** interface allows building owners, installers and electricians to monitor and control all their buildings from one secure, encrypted, convenient and easy to use interface. zencontrol cloud represents seamless bidirectional building lighting management with a full set of class leading features.


#### Sites

This is an overview over your sites. The user- icon indicates which sites you are the owner of.




# Edit / add site

Here you can view and edit your site details



#### Sites

This is an overview over your sites. The user-icon indicates which sites you are the owner of.







**The zencontrol grid** control makes commissioning and setup fast and efficient, save days and in some cases weeks when using the zencontrol grid compared to standard building control software. The grid format makes it easy to drill down to the data you need quickly with a dynamically displayed dataset. Change your view to building, floor or area quickly. Copy and paste existing setups easily to replicate the same setting across common controlled items. Identify problem setups and issues quickly as the zencontrol grid identifies and alerts the user of potential problems.


# Grid view

Project commissioning is the process of assuring that all systems and components of a building or industrial plant are designed, installed, tested, operated


| Filter 🗸     |                 |               |                           |                      |                     |                |               |  | <b>\bar{\alpha}</b> | 1 40      | 44          |
|--------------|-----------------|---------------|---------------------------|----------------------|---------------------|----------------|---------------|--|---------------------|-----------|-------------|
| Devices      | G               | roup          | Device type detail        | s Device             | type features       | Triggers       |               | Scenes   |                     |           |             |
| Floor        | Controller IP Y | Controller n  | ame Y                     | Fitting identifier Y | Location Y          |                | Device type ➤ | Product ~  | Serial Υ            | Address Y | Vei         |
| Ground floor | 192.168.2.2     | ATO QLD (un   | defined) DALI (undefined) | 2105.118.59          | ATO Queensland El   | izabeth Street | LED           | Tridonic 1x18 TC EXCEL one4all y II              | 2978419865          | 1         | 32.         |
| Ground floor | 192.168.2.2     | DALI Control  | System VersionTwoPoint    | 2105.120.01          | Maco Lighting Stoo  | kwell Place    | LED           | Tridonic 1x18 TC EXCEL one4all y II              | 4882667047          | 2         | 32.         |
| Level 01     | 192.168.2.2     | DALI ATO QL   | D (undefined)             | 2105.128.45          | Verde Mackay Nelse  | on Street      | LED           | Tridonic 1x18 TC EXCEL one4all y II              | 8273712953          | 2         | 32.         |
| Level 01     | 192.168.2.2     | DALI Control  | System VersionTwoPoint    | 2105.128.53          | Verde Townsville Fl | inders Street  | LED           | Tridonic 1x18 TC EXCEL one4all y II              | 2448179345          | 2         | 32.         |
| Level 01     | 192.168.2.2     | DALI          |                           | 2105.116.14          | 18 Canberra Canbe   | rra Acenue     | Emergency     | Mercury Jumbo M32                                | 8273712953          | 2         | 32.         |
| Level 02     | 192.168.2.2     | DALI (undefi  | ned)                      | 2105.002.10          | Nishi Edinburgh Av  | renue          | Switch        | Zencontrol Switch                                | 4832667047          | 2         | 32.         |
| Level 02     | 192.168.2.2     | ATO QLD (un   | defined)                  | 2105.002.11          | Maco Lighting Stoo  | kwell Place    | Emergency     | Ledfire III                                      | 5324481790          | 3         | 32.         |
| Level 02     | 192.168.2.2     | DALI Control  | System VersionTwoPoint    | 2105.118.59          | IPSWICH Towes Bri   | sbane Street   | Sensor        | Zencontrol Sensor                                | 2978419865          | 3         | 32.         |
| Level 03     | 192.168.2.2     | Control Syste | em VersionTwoPoint        | 2105.120.01          | ERGON Flinders Str  | reet           | Emergency     | Ledire D50                                       | 4882667047          | 3         | 32.         |
| Level 03     | 192.168.2.2     | DALI ATO QL   | D (undefined)             | 2105.128.45          | Verde Townsville Fl | inders Street  | Emergency     | Claymore Emergency Weatherproof Wireguard D25 B  | 8273712953          | 4         | 32.         |
| Level 03     | 192.168.2.2     | DALI Control  | System VersionTwoPoint    | 2105.128.53          | 18 Canberra Canbe   | rra Acenue     | Emergency     | Claymore Emergency Weatherproof Diffused D40 IP6 | 2448179345          | 5         | 32.         |
| Level 03     | 192.168.2.2     | DALI          |                           | 2105.116.14          | Nishi Edinburgh Av  | venue .        | Switch        | Ektor Switch                                     | 8273712953          | 6         | 32.         |
| Level 04     | 192.168.2.2     | DALI Control  | System VersionTwoPoint    | 2105.002.10          | Maco Lighting Stoo  | kwell Place    | Emergency     | Ledfire III                                      | 4832667047          | 7         | 32.         |
| Level 04     | 192.168.2.2     | DALI ATO QL   | D (undefined)             | 2105.002.11          | IPSWICH Towes Bri   | sbane Street   | Emergency     | Mercury D40                                      | 5324481790          | 7         | 32.         |
| Level 05     | 192.168.2.2     | DALI Control  | System VersionTwoPoint    | 2105.128.53          | ERGON Flinders Str  | reet           | LED           | Tridonic 1x18 TC EXCEL one4all y II              | 4882667047          | 7         | 32.         |
| Level 06     | 192.168.2.2     | DALI (undefi  | ned)                      | 2105.116.14          | Verde Mackay Nels   | on Street      | Emergency     | Razor III M16                                    |                     | 8         | 32.         |
| Level 06     | 192.168.2.2     | Control Syste | em VersionTwoPoint        | 2105.002.10          | IPSWICH Towes Bris  | sbane Street   | Emergency     | Mercury Jumbo M32                                | 2448179345          | 9         | 32.         |
| Roof parking | 192.168.2.2     | DALI ATO QL   | D (undefined)             | 2105.002.11          | Verde Townsville Fl | inders Street  | Emergency     | Claymore Emergency Weatherproof Wireguard D25 B  | 8273712953          | 10        | 32.         |
| Roof parking | 192.168.2.2     | DALI          |                           | 2105.128.53          | 18 Canberra Canbe   | rra Acenue     | Emergency     | Claymore Emergency Weatherproof Wireguard D25 B  | 4832667047          | 12        | 32.         |
| +            |                 |               |                           |                      |                     |                |               |  |                     |           | _           |
| 4            |                 |               |                           |                      |                     |                |               |  |                     |           | <b>&gt;</b> |

#### Grid view

Project commissioning is the process of assuring that all systems and components of a building or industrial plant are designed, installed, tested, operated







Monitor and test your site automatically from the zencontrol cloud. Control the Emergency testing schedule, view and email test reports and fault logs quickly and easily. Track the data easily and quickly with quality fitting information which includes the brand, name and serial number of the product. Identify problem products faster with easy to find replacement history Additionally, zencontrol emergency testing works flawlessly with any DALI compliant emergency product as well as all Ektor Wi-Fi emergency products. zencontrol automatically performs any required duration and function testing of emergency devices as required by relevant building authorities. Automatically generated test results are published to the zencontrol cloud and are available immediately.

# 0

#### Ā



₩

₽.

# Grid view


Project commissioning is the process of assuring that all systems and components of a building or industrial plant are designed, installed, tested, operated


| Macolighting stockwell place |           |   |                     |             |      |  |  |  |
|------------------------------|-----------|---|---------------------|-------------|------|--|--|--|
| ☐ Test type ✓                | Method ~  | Description ✓   | Next event 🗸        | Recurring ~ |      |  |  |  |
| Rated duration test          | Staggered | Unit test updated description   | 2015-03-02 20:47:46 | Yes         | Edit |  |  |  |
| Function test                | Staggered | Testing shop A  | 2015-03-02 20:47:41 | No          | Edit |  |  |  |
| Duration test                | Staggered | Testing floor B   | 2015-03-18 12:47:44 | No          | Edit |  |  |  |
| Rated duration test          | Staggered | Unit test updated description   | 2015-03-18 16:47:49 | Yes         | Edit |  |  |  |
| Function test                | Staggered | Testing shop G  | 2015-01-18 16:47:46 | Yes         | Edit |  |  |  |
| Duration test                | Staggered | Testing floor F   | 2015-01-18 12:47:49 | Yes         | Edit |  |  |  |
| Duration test                | Staggered | Unit test updated description   | 2015-01-18 19:47:23 | Yes         | Edit |  |  |  |
| Rated duration test          | Staggered | Testing shop "Butique Clinicue Beauty and Fashion" store, unit test updated description | 2015-01-17 15:47:66 | Yes         | Edit |  |  |  |
| Function test                | Staggered | Testing shop L  | 2015-03-02 20:47:46 | No          | Edit |  |  |  |
| Rated duration test          | Staggered | Unit test updated description   | 2015-03-02 20:47:41 | No          | Edit |  |  |  |
| Rated duration test          | Staggered | Testing shop Coop groceries   | 2015-03-18 12:47:44 | Yes         | Edit |  |  |  |
| Function test                | Staggered | Testing floor B   | 2015-03-18 16:47:49 | Yes         | Edit |  |  |  |
| Duration test                | Staggered | Unit test updated description   | 2015-01-18 16:47:46 | Yes         | Edit |  |  |  |
| Function test                | Staggered | Unit test updated description   | 2015-01-18 12:47:49 | Yes         | Edit |  |  |  |
| Rated duration test          | Staggered | Testing floor F   | 2015-01-18 19:47:23 | No          | Edit |  |  |  |
| Rated duration test          | Staggered | Unit test updated description   | 2015-01-17 15:47:66 | No          | Edit |  |  |  |
| Function test                | Staggered | Testing shop "Butique Clinicue Beauty and Fashion" store, unit test updated description | 2015-01-18 12:47:49 | Yes         | Edit |  |  |  |
| Duration test                | Staggered | Testing shop L  | 2015-01-18 19:47:23 | No          | Edit |  |  |  |
| Duration test                | Staggered | Unit test updated description   | 2015-01-17 15:47:66 | No          | Edit |  |  |  |







The zencontrol plan provides an interface to quickly and visually interact with the building and control system. zencontrol plan shows the current status of connected building luminaires and control gear including activated lights and any failures. Control lights individually and initiate emergency testing directly from the visual interface. With zencontrol plan building monitoring, fault reporting and testing is fast and efficient.

















Filter, drag & drop products onto your selected floor to manage your device




Pressing apply will let you view the selected products in your "Selected devices" list

Apply







# zencontrol